



PRODUCT CATALOG 2020-2021



IMPORTED AND MARKETED BY/CUSTOMER CARE ADDRESS
LED Lum Lighting Solutions LLP

#22A, 7th Street, Sector 3, Ambattur Industrial Estate, Ambattur, Chennai - 600 098.

Landline : +91 44 4852 8068, 4852 8069,
Mobile : +91 98197 46883, +91 98410 95621, +91 97907 99997, Customer Care : +91 96631 02951,
Email : projects@ledlumlighting.com sumeet@ledlumlighting.com, Web : www.ledlumlighting.com

www.ledlumlighting.com

www.ledlum.in



LLA-001



LLA-002



LLA-003



LLA-011



LLA-012



LLA-013



LLA-014



LLA-015



LLA-016



LLA-101



LLA-102



LLA-103



LLA-211



LLA-212



LLA-213



LLA-214



LLA-215



LLA-202



LLA-203



LLA-204



LLA-205




LLA-216



LLA-217



LLA-218



LLA-219




LLA-001






LLA-002




LLA-003







Model No.	LLA-001	LLA-002	LLA-003
CCT	3000K/4000K	3000K/4000K	3000K/4000K
Beam Angle	15°	24°	24°
CRI	≥90	≥90	≥90
Power	6W	9W	9W
Lumens	350lm	640lm	640lm
Body Size	Ø30*H79.5mm	Ø56*H99mm	Ø72*H99mm
Cut Size	Ø25mm	Ø50mm	Ø50mm
IP	20	20	20









Model No.	LLA-011	LLA-012	LLA-013
CCT	3000K/4000K	3000K/4000K	3000K/4000K
Beam Angle	24°	24°	36°
CRI	≥90	≥90	≥90
Power	7W	12W	18W
Lumens	597lm	819lm	1314lm
Body Size	Ø61*H90mm	Ø61*H105mm	Ø61*H125mm
Cut Size	55mm	55mm	55mm
IP	40	40	40






Model No.	LLA-014	LLA-015	LLA-016
CCT	3000K/4000K	3000K/4000K	3000K/4000K
Beam Angle	24°	24°	36°
CRI	≥90	≥90	≥90
Power	7W	12W	18W
Lumens	657lm	901lm	1446lm
Body Size	Ø61*H90mm	Ø61*H105mm	Ø61*H125mm
Cut Size	55mm	55mm	55mm
IP	40	40	40





Model No.	LLA-101	LLA-102	LLA-103
CCT	3000K/4000K	3000K/4000K	3000K/4000K
Beam Angle	10°65°	10°65°	10°65°
CRI	≥90	≥90	≥90
Power	30W	30W	30W
Lumens	—	—	—
Body Size	L643*W92*H72mm	L603*W38*H71mm	L603*W38*H71mm
Cut Size	L620*W80mm	—	—
IP	20	20	20









LLA-213

LLA-212

LLA-211



Model No.	LLA-211	LLA-212	LLA-213
CCT	3000K/4000K	3000K/4000K	3000K/4000K
Beam Angle	15°	24°	24°
CRI	≥90	≥90	≥90
Power	5W	12W	24W
Lumens	433lm	969lm	1960lm
Body Size	Ø68*66mm	Ø90*72mm	Ø105*73mm
Cut Size	—	—	—
IP	20	20	20








LLA-214




LLA-215



Model No.	LLA-214	LLA-215
CCT	3000K/4000K	3000K/4000K
Beam Angle	24°	24°
CRI	≥90	≥90
Power	7W	12W
Lumens	823lm	1207lm
Body Size	Ø45*100mm	Ø45*100mm
Cut Size	—	—
IP	20	20






Model No.	LLA-202	LLA-203	LLA-204	LLA-205
CCT	3000K/4000K	3000K/4000K	3000K/4000K	3000K/4000K
Beam Angle	24°	24°	100°	100°
CRI	≥90	≥90	≥90	≥90
Power	8W	16W	8W	16W
Lumens	761lm	900lm	428lm	977lm
Body Size	236*23*H43mm	464*23*H43mm	236*23*H43mm	464*23*H43mm
Cut Size	—	—	—	—
IP	20	20	20	20





LLA-217




LLA-219







LLA-216



LLA-218




Model No.	LLA-216	LLA-217	LLA-218	LLA-219
CCT	3000K/4000K	3000K/4000K	3000K/4000K	3000K/4000K
Beam Angle	24°	24°	100°	100°
CRI	≥90	≥90	≥90	≥90
Power	6W	12W	6W	12W
Lumens	529lm	1217lm	270lm	558lm
Body Size	L117*W58*H49mm	L230*W58*H49mm	L117*W58*H49mm	L230*W58*H49mm
Cut Size	—	—	—	—
IP	20	20	20	20







Model No.	LLA-231
Body Size	1000*22.8*52.5mm





Model No.	LLA-232
Body Size	2000*22.8*52.5mm





Model No.	LLA-233
Body Size	1000*70*52.5mm



Model No.	LLA-234
Body Size	2000*70*52.5mm




Model No.	LLA-235
Body Size	1000*24.6*5.3mm




Model No.	LLA-236
Body Size	143.7*19.6*17mm

Power Connector




Model No.	LLA-238
Body Size	99.4*19.6*21.6mm

L connector for Surface Track




Model No.	LLA-240
Body Size	99.4*19.6*46.2mm

L connector for Recess Track




Model No.	LLA-241
Body Size	350*17*18.5mm

L connector Flexible for Horizontal and Vertical installation





Model No.	LLA-237
Body Size	142.8*19.6*17mm

Straight Connector



Model No.	LLA-239
Body Size	52*26*6.3mm

End Caps for Power track



Model No.	LLA-242
Body Size	Φ51*2000mm

Suspension Kit

